

## DS-KH8340-TCE2

### Two-Wire Indoor Station with 7" Touch Screen



The DS-KH8340-TCE2 by Hikvision is a two-wire indoor station with a 7" touch screen. It is compact, convenient, and easy to install.

It supports hands-free communication with door and master stations.

#### **Available Models:**


DS-KH8340-TCE2

- Hands-Free Audiovisual Communication with the Door Station and the Master Station in the Intercom System
- Supports the Monitoring of Door Stations and External Cameras
- Supports Auto-Answering and Do Not Disturb Mode
- Noise Suppression and Echo Cancellation
- Supports 8-ch Zone Alarm Input
- Supports Panic Call
- Remote Unlocking via the Client
- Convenient Installation and Easy Operation

# Specifications

DS-KH8340-TCE2	
<b>System Parameters</b>	
Processor	High-performance embedded SOC processor
<b>Display Parameters</b>	
Display Screen	7" colorful TFT LCD
Display Resolution	1024 x 600
Operation Method	Capacitive touch screen, touch button
Operation Interface	Flattened UI operation interface
<b>Video Parameter</b>	
Video Compression Standard	H.264
<b>Audio Parameters</b>	
Audio Input	Built-in omnidirectional microphone
Audio Output	Built-in loudspeaker
Audio Quality	Noise suppression and echo cancellation
<b>Device Interfaces</b>	
Network Interface	Two-wire interface
RS-485	1 RS-485 half-duplex port
Alarm Output	1
<b>General</b>	
Power Supply	Powered by DS-KAD709
Power Consumption	≤10 W
Working Temperature	14° F to 131° F (-10° C to 55° C)
Working Humidity	10 to 90%
Installation	Wall mounting
Dimensions (L x W x H)	7.72" x 5.24" x 1.01" (196 mm x 133 mm x 25.75 mm)

# Appearance and Interfaces



# Typical Application

